

610 Double glass n-type module weight



Overview

Key Features 610W output | 22.9% efficiency Multi-busbar technology for better light capture Excellent low-irradiance and temperature resilience 4% annual power degradation for 30 years Compatible with mainstream inverters and trackers Technical Specifications (STC) Power Output (Pmax):. Key Features 610W output | 22.9% efficiency Excellent Anti-PID performance guarantee via optimized mass-production process and materials control. Module power increases 5-25% generally, bringing significantly lower LCOE and higher IRR. The N-type. el Unit Parameters Capacity rating Wp Max. Power Current in A Open Circuit Voltage in V Short Circuit Current in A Module Efficiency Power Tolerance *STC Irradiance OPERATING CONDITIONS are subject to . 30 Years linear power warranty Nominal Max. Power(Pmax/W) 610 615 620 Open Circuit Voltage(Voc/V) 55. Relevant is the corresponding data of the individual measurement. Specifications are subject to change without notice. Measurement tolerance depending on equipment: rated power +/- 3%. With 610W maximum output and advanced bifacial cell design, the JA Solar 610W module delivers strong returns for EPCs and end-users seeking long-term reliability.

610 Double glass n-type module weight



JKM590-610N-78HL4-BDV-F1-EN (IEC 2016).ai

Better light trapping and current collection to improve module power output and reliability. Excellent Anti-PID performance guarantee via optimized mass-production process and materials control. Module ...

[Get Price](#)

ECO LINE N-TYPE TOPCON GLASS-GLASS BIF. M132 / 600

ECO LINE N-TYPE TOPCON GLASS-GLASS BIF. M132 / 600 - 620W. The specifications and average values can vary slightly. Relevant is the corresponding data of the individual measurement. ...



[Get Price](#)



JA DeepBlue 4.0 N-Type Bifacial Double Glass Mono Module - 610W

...

Power Outage Range: 610-635W
 Maximum Efficiency: 22.7% Positive
 Power Tolerance : 0 ~ 5W 16BB half-cut cell technology: New circuit design, lower internal current, lower Rs loss
 Higher power ...

[Get Price](#)

JA Solar 610W N-Type Bifacial Double Glass Module

With 610W maximum output and advanced bifacial cell design, the JA Solar 610W module delivers strong returns for EPCs and end-users seeking long-term reliability.

[Get Price](#)



TAX FREE

1-3MWh

BESS



NEXT GEN N-TYPE BIFACIAL SOLAR PV MODULE 610

MECHANICAL DATA Dimensions (L x W x H) MM: Weight 34.5 Junction Box Split Cable Solar (Higher Front Super Strate 2.0 mm Solar Cells N-Type Cell Encapsulation PID & Back Substrate 2.0 mm ...

[Get Price](#)

JA 600Watt 610Watt 625 Watt Bifacial Mono Solar Panel

600~625W Bifacial JAM78D42 MB Cells
Layout: 144 Half Cells (6x24)
Dimensions: 2465x1134x35mm Weight: 34.6kg
Modules per box: 31pcs Modules per 40' container: 496pcs

[Get Price](#)



BIFACIAL DOUBLE GLASS MODULE

Power Performance N-Monocrystalline silicon with silicon nitride layers for higher reliability. N-TYPE Technology M10. Better light trapping with multi

busbar decreasing resistance and power loss. ...

[Get Price](#)



JKM610-630N-78HL4-(V)-F4-EN

Tiger Neo N-type 78HL4-(V) 610-630 Watt MONO-FACIAL MODULE N-Type Positive power tolerance of 0~+3%

[Get Price](#)



JKM600-625N-66HL4M-BDV-F1-EN

Packaging Configuration (Two pallets = One stack) 36pcs/pallets, 72pcs/stack, 720pcs/ 40'HQ Container Cell Type No. of cells Dimensions Weight Front Glass Back Glass Frame Junction Box N ...

[Get Price](#)

DAS-DH156NA-EN-610-635(2465-1134-35)

Mechanical Parameters Cell Type Module Size Glass Thickness Module Weight Output Cable Connector Junction Box Frame N Type 2465×1134×35mm

2.0mm 34.3Kg 4mm², cable length ...

[Get Price](#)



Contact Us

For catalog requests, pricing, or partnerships, please visit:
<https://www.k3gizycko.pl>

